

# **MECHANICAL EARTH DRILL**





# **MECHANICAL EARTH DRILL**

# Little Beaver Mechanical Earth Drills are safe and simple to operate.

With drilling speeds up to 360 rpm, they provide faster drilling, efficient digging and cleaner holes than competitive models. The drills feature a steel torque tube that protects users from dangerous kickback and makes them safer for one-man operation.

#### **Ideal applications:**

- Fencing
- Deck Building
- Landscaping
- Horizontal Boring

## **FEATURES & BENEFITS**



- Steel torque tube
- Centrifugal clutch



#### EXTENDED LIFESPAN

- Transmission cooling fins
- Powder coating



#### **INCREASED VERSATILITY**

- Simple snap-on auger
- Auger diameters ranging from 1.5 to 16 inches



#### EASY MANEUVERABILITY

- Semi-pneumatic or flat-free tires
- Roll cage or rickshaw carrier



#### BETTER ERGONOMICS

- Comfortable padded handles
- Easy access to the throttle and on/off switch



#### OPTIONAL ATTACHMENTS

- Expanded capabilities with horizontal boring kits
- Sidewalk and driveway boring kits available

#### WWW.LITTLEBEAVER.COM

## **SPECIFICATIONS**

	MDL-5B	MDL-5H	MDL-8B	MDL-8H
Engine Brand/Model	Vanguard 12V332 OHV	Honda GX160 OHV	Vanguard 19L132 OHV	Honda GX240 OHV
Engine Horsepower	6.5 hp (4.8 KW) gross	4.8 hp (3.6 KW) net	10 hp (7.5 KW) gross	7.9 hp (5.9 KW) net
Engine Torque	Not Available	7.6 lb-ft (10.3 Nm) net	Not Available	13.4 lb-ft (18.3 Nm) net
Oil Alert System	Standard			
Torque Tube	Standard			
Centrifugal Clutch	Standard			
7-Foot Flexible Drive Shaft	Standard			
Snap-On Flexible Drive Shaft	Standard			
Gear Reduction Ratio	10:1 or Optional 20:1 or 13:1			
Rotation	360 RPM or Optional 180 or 275			
Wheel Size	8-inch Optional 10-inch flat-free	8-inch Optional 10-inch flat-free	10-inch	10-inch
Wheel Type	Semi-pneumatic	Semi-pneumatic	Flat-Free	Flat-Free
Dry Shipping Weight (Lbs) Additional 10lbs for Torque Tube Weight	135 + 10	130 + 10	175 + 10	173 + 10



#### WWW.LITTLEBEAVER.COM



#### VIEW ADDITIONAL PRODUCT INFORMATION, RESOURCES AND TIPS ONLINE.

www.YouTube.com/LittleBeaverInc



Little Beaver 2009 South Houston Ave. Livingston, TX 77351 Phone: 800-227-7515 Email: sales@littlebeaver.com Fax: 936-327-4025