



LITTLE BEAVER®
EARTH DRILLS & AUGERS

UN-TOWABLE HYDRAULIC EARTH DRILL



UN-TOWABLE HYDRAULIC EARTH DRILL

Little Beaver UN-Towable Earth Drills can be hauled by any vehicle with a 2-inch slide-in receiver.

The drill features an operator-friendly cantilever design that allows for safe and effective one-person drilling. The unit's weight can be cut in half by unhooking the power pack, making transportation easy.

Ideal applications:

- Sign Installation
- Fencing
- Deck Building
- Landscaping



FEATURES & BENEFITS



ERGONOMIC

- Cantilever design
- Requires only about 20 pounds of force to pivot



SIMPLE OPERATION

- Forward and reverse hydraulic operation
- Spring-loaded return to neutral when lever is released



HIGH MANEUVERABILITY

- Auger tilt for drilling vertically in uneven terrain
- Drill next to buildings and other structures



LONG LIFESPAN

- Welded steel plate and tube construction
- Pump inlet suction strainer to protect hydraulic components from foreign objects



EASY CONNECTIVITY

- Convenient snap-on auger connections
- Augers up to 16 inches in diameter



CONVENIENT TRANSPORT

- E-Z bracket
- 2-inch slide-in receiver hitch attachment

SPECIFICATIONS

| | | |
|----------------|----------------------------------|--|
| ENGINE | Brand/Model | Honda GXV390 |
| | Power @ 3600 rpm | 10.2 hp (7.6 KW) net |
| | Torque | 17.8 lb-ft (24.2 Nm) net |
| | Fuel Tank Capacity (US gal) | 0.55 |
| | Oil Alert System | Standard |
| | Starting | Recoil |
| HYDRAULICS | Forward/Reverse | Standard |
| | Max. Auger Speed (rpm) | 175 |
| | Max. Auger Torque (ft*lbs) | 270 |
| | Maximum Flow (gpm) | 7 |
| | Hydraulic Pressure (psi) | 2,700 |
| | Reservoir Capacity (US gal) | 3.5 |
| | Return Filter (micron) | 10 |
| | Inlet Suction Strainer (US mesh) | 100 |
| | Oil Level Indicator | Dipstick |
| OTHER FEATURES | Construction | Welded structural steel tubing and plate |
| | Handle | Offset |
| | Auger Tilt | 10 degrees each direction |
| | Auger Vertical Lock | Standard |
| | Auger Transport Lock | Standard |
| SIZE | Length (In) | 67 |
| | Width (In) | 33 |
| | Height (In) | 43 |
| | Dry Weight-Shipped (Lbs) | 325 |





**VIEW ADDITIONAL PRODUCT INFORMATION,
RESOURCES AND TIPS ONLINE.**

www.YouTube.com/LittleBeaverInc



LITTLE BEAVER®
EARTH DRILLS & AUGERS
www.littlebeaver.com

Little Beaver
2009 South Houston Ave.
Livingston, TX 77351

Phone: 800-227-7515
Email: sales@littlebeaver.com
Fax: 936-327-4025